


Oilmaster® Composite Hose Type 824

Applications

This type is designed for the transfer of hydrocarbons, including oils, petroleum products, diesel, lubricating oils, paraffin and 100% aromatics in heavy duty marine operations including ship and barge loading and unloading. A stainless steel outer wire is available for applications which include a corrosive environment.



Technical description

Lining	: Polypropylene
Inner Wire	: Galvanized Steel
Outer Wire	: GGP824 Galvanized Steel GSP824 Stainless Steel 304 or 316
Cover	: PVC coated Nylon, Abrasion, UV and ozone resistant, Blue
Temperature range	: -30°C to + 80°C (-22°F to + 176°F)
Electrical properties	: Electrically conductive
Standard	: EN13765:2018, Type 3
Complies with	: IMO IBC Code
Approval	: ClassNK Certificate N0. TA21511E(AL)

Physical properties

Maximum elongation	: 10% on test pressure
Vacuum range	: 0,9 bar

End Fittings

Specially designed end fittings have been developed for use with Amniflex Composite hoses, including threaded ends, flanged ends and other connections. By means of a hydraulic operated press, a ferrule is externally swaged onto the hose to secure the hose shank and guarantee a leak proof connection between hose and fitting. All ferrules are welded to the end fitting before swaging for even safer operating conditions.

Technical data: Type GGP824/GSP824									
Inside Diameter		Working Pressure		Min. Bend Radius		Approx. Weight		Max. length	
inches	mm	psi	bar	inches	mm	lbs/ft	kg/m	ft.	m
3	80	200	14	11	280	2,50	3,70	65	20
4	100	200	14	16	400	4,40	6,50	65	20
5	125	200	14	18	460	5,80	8,60	65	20
6	152	200	14	20	500	7,00	10,50	65	20
8	204	200	14	29	740	12,00	18,00	65	20
10	252	150	10	36	920	15,00	23,00	50	15

* 10"=Type 2
Safety factor acc. EN 13765:2018

All information in this document is without any obligation, specifications subject to change without any notice.

Amniflex B.V.

Abraham van Stolkweg 118
3041 JA, Rotterdam
T: +31(0)10 2982121
E: amniflex@plastiflex.com
www.amniflex.com

BTW nr. NL862140729B01
Bank: KBC Bank NV
KREDNL2XXXX
IBAN NL23 KRED0633024376

K.v.K. Rotterdam nr. 81568053

Al onze aanbiedingen en leveranties geschieden volgens onze algemene leveringsvoorwaarden.

